

ORION

SOLE AQUA
Quality water for life.



SOLE AQUA CO., LTD.

No.30, Ln. 66, Fengnan St., Fengyuan Dist.,

Taichung City 42052, Taiwan (R.O.C.)

Tel : +886-4-2528 4634 Fax : +886-4-2528 1896

E-mail : soleaqua@gmail.com

<https://www.soleaqua.com.tw>

Residential RO System

Compact RO System



CR2-S



CR2-C



CH



Compact RO System

Model	RO Output (GPD)	Tank	Dimension(cm)
CR2-S series (TDS display)	50 / 75 / 100 400	Outside Direct Flow	H46 x W16 x D42
CR2-C series	50 / 75 / 100 400	Outside Direct Flow	H46 x W16 x D42
CE series	50 / 75 / 100 300 / 400 / 500	2G inside Direct Flow	H49 x W32 x D53.5
CJ series	50 / 75 / 100 200 / 300 / 400	Outside Direct Flow	H43.7 x W10 x D43
CH series	50 / 75 / 100	2.2G inside	H42 x W24.8 x D42



DF104-400



DF-300

Direct Flow RO System

Direct Flow RO System

Model	RO Output (GPD)	Description
DF-200	200 GPD (0.5L/min)	Membrane 2012 x 1, 1.5" Gauge
DF-300	300 GPD (0.8L/min)	Membrane 2412 x 1, 1.5" Gauge
DF-400	400 GPD (1.1L/min)	Membrane 2012 x 2, 1.5" Gauge
DF-500	500 GPD (1.3L/min)	Membrane 3012 x 1, 1.5" Gauge
DF104-400	400 GPD (1.1L/min)	Quick change filter, Membrane 3012 x 1



CJ



CE



Residential RO System

Typical RO System



RO-102



RO-102-4



RO-102C



RO-102P



RO-102P6B



RO-102P6S



RO-103P6B



RO-103P6S



RO-105P



RO-104P

Typical RO System

Model	RO Output (GPD)	Filter	Description
RO-102	50 / 75 / 100	5 stages	Without Pump, Wall mounting bracket
RO-102-4	51 / 75 / 100	4 stages	Without Pump, Wall mounting bracket
RO-102P	50 / 75 / 100	5 stages	Wall mounting bracket
RO-102P6B	50 / 75 / 100	6 stages	Wall mounting bracket, 2.5" gauge
RO-102P6S	50 / 75 / 100	6 stages	Wall mounting bracket, 1.5" gauge
RO-102C	50 / 75 / 100	5 stages	With Control Box, Wall mounting bracket
RO-103P6B	50 / 75 / 100	6 stages	Standing frame, 2.5" gauge
RO-103P6S	50 / 75 / 100	6 stages	Standing frame, 1.5" gauge
RO-104P	50 / 75 / 100	5 stages	Quick change filter, Standing frame
RO-105P	50 / 75 / 100	5 stages	Standing frame
Demo kit	50 GPD	4 stages	H35.8 x W46.0 x D15.6 (cm)

Commercial RO System

Commercial RO System

Model	RO Output	Membrane	Pump	Controller	Dimension(cm)
RO-200P	200 GPD	1812 x 2	HF-45L	Optional	44 x 28 x 85
RO-300P	300 GPD	1812 x 3	HF-50L	Optional	44 x 28 x 85
RO-400P	400 GPD	1812 x 4	HF-45Lx2	Optional	44 x 28 x 85
RO-500P	500 GPD	1812 x 5	HF-45Lx2	Optional	44 x 28 x 85
RO-600P	600 GPD	2012 x 3	HF-45Lx2	Optional	44 x 28 x 85
WHC-800S	800 GPD	2012 x 4	HF-50L x 2	Yes	45 x 30 x 97
WRO-1000	800 GPD	4021 x 1	1/2 HP	Yes	49 x 40 x 86
RA-1500	1500 GPD	4040 x 1	2.5 HP	Yes	69 x 45 x 130
RA-3000	3000 GPD	4040 x 2	2.5 HP	Yes	69 x 63 x 130
RA-6000	6000 GPD	4040 x 4	2.5 HP	Yes	69 x 63 x 130



RO-200P



RO-400P



WHC-800S



WRO-1000



RA-1500



RA-3000



RA-6000

Water Dispenser

Water Dispenser



CW-929



CW-898



CW-201



CW-215



PS1



HM-900



HM-1687

Model	Filtration System	Dimension(cm)
HM-190	RO 5 Stages	26(W) x 54(D) x 58(H)
HM-900	RO 5 Stages	42(W) x 50(D) x 135(H)
HM-1687	RO 5 Stages	42(W) x 41(D) x 127(H)
CW-929	RO 5 Stages	40(W) x 33(D) x 105(H)
CW-898	RO 5 Stages	33(W) x 35(D) x 120(H)
PS1	RO 5 Stages	52(W) x 40(D) x 130(H)
CW-201	RO 5 Stages	25(W) x 40(D) x 120(H)
CW-215	RO 4 Stages	23(W) x 35(D) x 120(H)
CW-225	none	23(W) x 35(D) x 45(H)
CW-919C-A	none	40(W) x 33(D) x 52(H)
CW-919HW-R	RO 5 Stages	40(W) x 33(D) x 52(H)
M102H	2 Stages	23(W) x 39(D) x 39(H)
M101	2 Stages	30(W) x 35(D) x 33(H)



HM-190



CW-225



CW-919



M102H



M101

Water Filtration System

Water Filtration System

Model	Description
BK-1010BB	10" Big Blue 1 stage, Wall mounting bracket
BK-1020BB	10" Big Blue 2 stages, Wall mounting bracket
BK-1030BB	10" Big Blue 3 stages, Wall mounting bracket
FM-1020BB	10" Big Blue 2 stages, Standing frame
FM-1030BB	10" Big Blue 3 stages, Standing frame
BK-2010BB	20" Big Blue 1 stage, Wall mounting bracket
BK-2020BB	20" Big Blue 2 stages, Wall mounting bracket
BK-2030BB	20" Big Blue 3 stages, Wall mounting bracket
FM-2020BB	20" Big Blue 2 stages, Standing frame
FM-2030BB	20" Big Blue 3 stages, Standing frame

Optional : Pressure gauge & Blue or White filter housing.



BK-1010BB BK-1020BB BK-1030BB



BK-2010BB BK-2020BB BK-2030BB



FM-2020BB



FM-2030BB



FM-1020BB



FM-1030BB



SU-1020



SU-1030

Model	Description
SW-1010	Countertop 1 stage water purifier
SW-1020	Countertop 2 stages water purifier
SW-1030	Countertop 3 stages water purifier
SALK-10	Quick Change 1 stage water purifier
SALK-20	Quick Change 2 stages water purifier
SALK-30	Quick Change 3 stages water purifier
SU-1010	Under Sink 1 stage water purifier
SU-1020	Under Sink 2 stages water purifier
SU-1030	Under Sink 3 stages water purifier



SALK-20



SALK-30



SW-1010



SW-1020




SW-1030

Filter Cartridge

Filter Cartridge

NANOMETER SILVER FILTER ANTIBACTERIAL FILTER



- Different solution in eliminating impurities and bacteria
- Provide more constant sterilization
- Keep bacteria away from the filter
- Silver as natural antibacterial and antifungal media

Filter Cartridge

PP

Model	Description
PP-101M	10" PP 1 micron sediment filter
PP-201M	20" PP 1 micron sediment filter
PP-105M	10" PP 5 micron sediment filter
PP-205M	20" PP 5 micron sediment filter
BBC-101M	10" Big Blue PP 1 micron sediment filter
BBC-201M	20" Big Blue PP 1 micron sediment filter
BBC-105M	10" Big Blue PP 5 micron sediment filter
BBC-205M	20" Big Blue PP 5 micron sediment filter



Resin

Model	Description
UDF-1RN	10" UDF Cation Exchange resin filter
UDF-2RN	20" UDF Cation Exchange resin filter
UDF-1RD	10" UDF Mixed Bed Deionization resin filter
UDF-2RD	20" UDF Mixed Bed Deionization resin filter
T33-1RN	10" T33 Cation Exchange resin filter
T33-1RD	10" T33 Mixed Bed Deionization resin filter
BBC-10RN	10" Big Blue Cation Exchange resin filter
BBC-20RN	20" Big Blue Cation Exchange resin filter
BBC-10RD	10" Big Blue Mixed Bed Deionization resin filter
BBC-20RD	20" Big Blue Mixed Bed Deionization resin filter



UDF/GAC

Model	Description
UDF-101	10" UDF Granular Activated Carbon filter
UDF-201	20" UDF Granular Activated Carbon filter
T33-101	10" T33 Granular Activated Carbon filter
BBC-10U1	10" Big Blue Granular Activated Carbon filter
BBC-20U1	20" Big Blue Granular Activated Carbon filter



Pleated

Model	Description
PLT-1020M	10" Pleated Polyester 20 micron sediment filter
PLT-2020M	20" Pleated Polyester 20 micron sediment filter
BBC-10P20	10" Big Blue Pleated Polyester 20 micron sediment filter
BBC-20P20	20" Big Blue Pleated Polyester 20 micron sediment filter



CTO

Model	Description
CTO-101	10" CTO carbon block filter
CTO-201	20" CTO carbon block filter
CTO-10N69	10" Antibacterial CTO carbon block filter
CTO-20N69	20" Antibacterial CTO carbon block filter
BBC-10C1	10" Big Blue CTO carbon block filter
BBC-20C1	20" Big Blue CTO carbon block filter



Multi Function

Model	Description
MF-1021	10" 2 in 1 filter (PP 5m + GAC)
CF-301	3 in 1 Complex filter (PP 5m + GAC + PP 1m)
MF-10CC	10" PP Compressed with GAC filter
MF-20CC	20" PP Compressed with GAC filter



FILMTEC

Model	Description	Sizes
FLM-50	Filmtec RO Membrane 50GPD	1812
FLM-75	Filmtec RO Membrane 75GPD	1812
FLM-100	Filmtec RO Membrane 100GPD	1812
FLM-400	Filmtec RO Membrane 400GPD	3012



HD | 50 Hydrogen-rich Technical Filter

- Hydrogen-rich with alkaline water.
- Superior anti-oxidation effect.
- Essential mineral supplements.
- Durable and excellent performance.

Quick Change Filter


Model	Description
FG4-01	Quick Change PP 1 micron sediment filter
FG4-02	Quick Change PP 5 micron sediment filter
FG4-03	Quick Change CTO carbon block filter
FG4-04	Quick Change Granular Activated Carbon filter

KT / 12 inch

Model	Description
KT33-01	KT Inline PP 1 micron sediment filter
KT33-02	KT Inline PP 5 micron sediment filter
KT33-03	KT Inline CTO carbon block filter
KT33-04	KT Inline Granular Activated Carbon filter
KT33-05	KT Inline Mixed Bed Deionization resin filter
KT33-06	KT Inline Cation Exchange resin filter
KT33-08	KT Inline Antibacterial CTO carbon block filter

ST / 10 inch

Model	Description
ST33-01	ST Inline PP 1micron sediment filter
ST33-02	ST Inline PP 5micron sediment filter
ST33-03	ST Inline CTO carbon block filter
ST33-04	ST Inline Granular Activated Carbon filter
ST33-05	ST Inline Mixed Bed Deionization resin filter
ST33-06	ST Inline Cation Exchange resin filter
ST33-07	ST Inline 4 in 1 Remineralized filter
ST33-08	ST Inline Alkaline filter
ST33-09	ST Inline Maifan Stone filter (Yellow or Clear)
ST33-10	ST Inline Far Infrared Ray filter
ST33-11	ST Inline Antibacterial CTO carbon block filter
ST33-12	ST Inline Hd50 Hydrogen-rich Technical filter



SOLE AQUA

Model	Description	Sizes
SAQ-50	SoleAqua RO Membrane 50GPD	1812
SAQ-75	SoleAqua RO Membrane 75GPD	1812
SAQ-100	SoleAqua RO Membrane 100GPD	1812
SAQ-200	SoleAqua RO Membrane 200GPD	2012
SAQ-300	SoleAqua RO Membrane 300GPD	3012
SAQ-400	SoleAqua RO Membrane 400GPD	3012
SAQ-500	SoleAqua RO Membrane 500GPD	3012
SAQ-800	SoleAqua RO Membrane 800GPD	4021
SAQ-1500	SoleAqua RO Membrane 1500GPD	4040



Double O-Ring Filter Housings



BB20KB BB20KW BB20WW

20" Big Blue filter housing

Model	CAP	Housing	Port
BB20KB34	Black	Blue	3/4"
BB20KB10			1"
BB20KB15			1.5"
BB20WW34	White	White	3/4"
BB20WW10			1"
BB20WW15			1.5"

Threaded : NPT or BSP / Pressure Relief Button : Yes or No



BB10KB BB10KW BB10WW

10" Big Blue filter housing

Model	CAP	Housing	Port
BB10KB34	Black	Blue	3/4"
BB10KB10			1"
BB10KB15			1.5"
BB10WW34	White	White	3/4"
BB10WW10			1"
BB10WW15			1.5"

Threaded : NPT or BSP / Pressure Relief Button : Yes or No



FA20KB FA20BB FA20WW

20" Filter housing

Model	CAP	Housing	Port
FA20WW38	White	White	3/8"
FA20WW12			1/2"
FA20WW34			3/4"
FA20KB38	Black	Blue	3/8"
FA20KB12			1/2"
FA20KB34			3/4"
FA20BB38	Blue	Blue	3/8"
FA20BB12			1/2"
FA20BB34			3/4"

Threaded : NPT or BSP / Pressure Relief Button : Yes or No



RB10KB RB10WC RB10WW

10" Filter housing (Rib cap)

Model	CAP	Housing	Port
RB10WW12	White	White	1/2"
RB10WW34			3/4"
RB10WC12	White	Clear	1/2"
RB10WC34			3/4"
RB10KC12	Black	Clear	1/2"
RB10KC34			3/4"
RB10KB12	Black	Blue	1/2"
RB10KB34			3/4"
RB10KW12	Black	White	1/2"
RB10KW34			3/4"

Threaded : NPT or BSP / Pressure Relief Button : Yes or No

10" Filter housing (Flat cap)

Model	CAP	Housing	Port
FA10WW14	White	White	1/4"
FA10WW38			3/8"
FA10WC14	White	Clear	1/4"
FA10WC38			3/8"
FA10BB14	Blue	Blue	1/4"
FA10BB38			3/8"

Threaded : NPT / Pressure Relief Button : No



FA10BB FA10WC FA10WW



MH1812K

MH1812W

MH3012

Membrane Housing

Model	Color	Sizes
MH1812W	White	1812 / 2012
MH1812K	Black	1812 / 2012
MH3012	White	3012

Refillable Filter Cartridge Shell

Model	Color	Sizes
RF10C	Clear	10" x 2.5"
RF20C	Clear	20" x 2.5"
RF10CBB	Clear	10" x 4.5"
RF20CBB	Clear	20" x 4.5"
RF10ST	Clear	10" x 2"
RF10ZST	Clear	10" x 2"
RF05	Clear	5" x 2"



RF20CBB

RF20C

RF10CBB

RF10C

RF10ZST

RF10ST

RF05

Faucet

Faucet



Model	Description			
F-001	Press handle	Gooseneck	Chrome Plated	Black spout
F-001ST				Silver spout
Star-01				Silver spout
Star-01G	Three way handle	Gooseneck	Chrome Plated	Golden spout
Star-02		Middle bending		Silver spout
Star-02G				Golden spout
NCPV133CP	Disc-handle	Gooseneck	Chrome Plated	
NCPV833CP	Single-handle			
NCP6033CP	Disc-handle			
NCPV803CP	Single-handle	Middle bending	Chrome Plated	
WDF-833BN	Vase style	Middle bending	Brushed Nickel	
WDF-833CP			Chrome Plated	
WDF-802BN	Single-handle	Middle bending	Brushed Nickel	
WDF-802CP			Chrome Plated	
WDF-803BN	Single-handle	Big bending	Brushed Nickel	
WDF-803CP			Chrome Plated	
KDF-01	Kitchen & Drinking 2 in 1		Chrome Plated	1/2" or 3/8"
KDF-02				
KDF-03				
KDF-04				
BK-3422	Faucet wrench		Black	

Water Storage Tank

Water Storage Tank







Model	Nominal Volume		Size (mm)	Weight (kg)
RO-120	8 L	2 G	297 x 202	2.2
RO-122	12 L	3.2 G	349 x 230	2.76
RO-132	18 L	4.4 G	351 x 279	3.5
RO-152	21 L	5.5 G	390 x 290	3.91
RO-1070	60 L	14 G	575 x 389	10.51
RO-2000	80 L	20 G	771 x 389	14.41
TP - 100	100 L	28 G	804 x 430	19.58
TP - 150	150 L	40 G	938 x 530	34.6
TP-12P	12 L	3.2 G	382 x 242	3.36
TP-16P	16 L	4.2 G	390 x 251	3.76
TP-19P	19 L	5 G	400 x 276	4.2

◆ Maximum working pressure 100 psi, Tank pre-charge 6 psi.

Diaphragm Booster Pump

PUMP / Transformer



Model	Membrane	Pressure	DC Voltage
LF-30L	50 GPD	110 psi	24V
LF-33L	75 GPD	120 psi	24V
LF-35L	100 GPD	130 psi	24V
HF-45L	150-200 GPD	140 psi	24V
HF-745	300 GPD	140 psi	36V
HF-750	400 GPD	140 psi	24V
HF-750J	500 GPD	150 psi	36V
HF-750S	600 GPD	150 psi	48V
HF-50L	400 GPD	140 psi	24V
			36V
			48V


Transformer

Model	Input	Output
T-112412	AC 110V	DC 24V / 1.2A
T-222412	AC 220V	
T-11362A	AC 110V	
T-22362A	AC 220V	DC 36V / 2A
T-114823	AC 110V	
T-224823	AC 220V	
T-11483A	AC 110V	DC 48V / 3A
T-22483A	AC 220V	
T-11484A	AC 110V	
T-22484A	AC 220V	DC 48V / 4A



UV Sterilizer

UV Sterilizer



4pin type



Ballast



Model	Flow Rate	Maximum Pressure	Port	Dimension	Watts	Lamp Life	Connect Type	Voltage
TUV-1	1 GPM	125 psi	1/4"	280 x 51 mm	6 W	9000hr	Wire	110V/220V
TUV-2	2 GPM	125 psi	1/4"	350 x 51 mm	16 W	9000hr	Wire	110V/220V
TUV-4	4 GPM	125 psi	1/2"	350 x 63.5 mm	16 W	9000hr	Wire	110V/220V
TUV-6	6 GPM	125 psi	1/2"	680 x 63.5 mm	25 W	9000hr	4 pin	110V/220V
TUV-12A	12 GPM	125 psi	3/4"	910 x 63.5 mm	40 W	9000hr	4 pin	110V/220V
TUV-12B	12 GPM	125 psi	3/4"	910 x 89 mm	40 W	9000hr	4 pin	110V/220V
TUV-24	24 GPM	125 psi	1"	910 x 101 mm	40 W x 2	9000hr	4 pin	110V/220V
TUV-50	50 GPM	125 psi	1.5"	910 x 140 mm	40 W x 4	9000hr	4 pin	110V/220V

Compression Tube Fittings

Compression Tube Fittings

Plastic Nipple

Model	Description
JF-M22	NPT 1/4"
JF-M33	NPT 3/8"
JF-M44	NPT 1/2"
JF-M66	NPT 3/4"
JF-M88	NPT 1"

Male Connector

JF-1042	Tube 1/4" x NPT 1/8"
JF-1044	Tube 1/4" x NPT 1/4"
JF-1046	Tube 1/4" x NPT 3/8"
JF-1048	Tube 1/4" x NPT 1/2"
JF-1064	Tube 3/8" x NPT 1/4"
JF-1066	Tube 3/8" x NPT 3/8"
JF-1068	Tube 3/8" x NPT 1/2"
JF-1088	Tube 1/2" x NPT 1/2"

Union Connector

JF-1544	Tube 1/4" x 1/4"
JF-1564	Tube 3/8" x 1/4"
JF-1566	Tube 3/8" x 3/8"

Bulkhead Union Connector

JF-2044	Tube 1/4" x 1/4"
JF-2066	Tube 3/8" x 3/8"

Female Connector

JF-2542	Tube 1/4" x NPTF 1/8"
JF-2544	Tube 1/4" x NPTF 1/4"

Male Elbow

JF-4042	Tube 1/4" x NPT 1/8"
JF-4044	Tube 1/4" x NPT 1/4"
JF-4046	Tube 1/4" x NPT 3/8"
JF-4064	Tube 3/8" x NPT 1/4"
JF-4066	Tube 3/8" x NPT 3/8"
JF-4068	Tube 3/8" x NPT 1/2"
JF-4086	Tube 1/2" x NPT 3/8"
JF-4088	Tube 1/2" x NPT 1/2"

Female Elbow

Model	Description
JF-4542	Tube 1/4" x NPTF 1/8"
JF-4544	Tube 1/4" x NPTF 1/4"

Union Elbow

JF-5044	Tube 1/4" x 1/4"
JF-5066	Tube 3/8" x 3/8"

Male Branch Tee

JF-6044	Tube 1/4" x NPT 1/4" x Tube 1/4"
JF-6064	Tube 3/8" x NPT 1/4" x Tube 3/8"
JF-6066	Tube 3/8" x NPT 3/8" x Tube 3/8"
JF-6068	Tube 3/8" x NPT 1/2" x Tube 3/8"

Union Tee

JF-7044	Tube 1/4" x 1/4" x 1/4"
JF-7064	Tube 3/8" x 1/4" x 3/8"
JF-7066	Tube 3/8" x 3/8" x 3/8"

Male Run Tee

JF-7544	Tube 1/4" x 1/4" x NPT 1/4"
JF-7564	Tube 3/8" x 3/8" x NPT 1/4"
JF-7566	Tube 3/8" x 3/8" x NPT 3/8"
JF-7568	Tube 3/8" x 3/8" x NPT 1/2"
JF-7644	Tube 3/8" x 1/4" x NPT 1/4"
JF-7646	Tube 3/8" x 1/4" x NPT 3/8"

Pressure Gauge Connector

GC-42L	Left : Tube 1/4" x NPT 1/8"
GC-42R	Right: Tube 1/4" x NPT 1/8"
GC-44L	Left : Tube 1/4" x NPT 1/4"
GC-44R	Right: Tube 1/4" x NPT 1/4"
GC-46L	Left : Tube 1/4" x NPT 3/8"
GC-46R	Right: Tube 1/4" x NPT 3/8"
GC-62L	Left : Tube 3/8" x NPT 1/8"
GC-62R	Right: Tube 3/8" x NPT 1/8"
GC-64L	Left : Tube 3/8" x NPT 1/4"
GC-64R	Right: Tube 3/8" x NPT 1/4"
GC-66L	Left : Tube 3/8" x NPT 3/8"
GC-66R	Right: Tube 3/8" x NPT 3/8"

Plastic Nipple

Model	Description
QF-1042	Tube 1/4" x NPT 1/8"
QF-1044	Tube 1/4" x NPT 1/4"
QF-1046	Tube 1/4" x NPT 3/8"
QF-1064	Tube 3/8" x NPT 1/4"
QF-1066	Tube 3/8" x NPT 3/8"

Union Connector

QF-1544	Tube 1/4" x 1/4"
QF-1564	Tube 3/8" x 1/4"
QF-1566	Tube 3/8" x 3/8"

Bulkhead Union

QF-2044	Tube 1/4" x 1/4"
QF-2046	Tube 1/4" x 3/8"
QF-2066	Tube 3/8" x 3/8"

Female Adapter

QF-2544	Tube 1/4" x NPTF 1/4"
QF-2547	Tube 1/4" x NPTF 7/16"
QF-2566	Tube 3/8" x NPTF 3/8"
QF-2567	Tube 3/8" x NPTF 7/16"

Male Elbow

QF-4042	Tube 1/4" x NPT 1/8"
QF-4044	Tube 1/4" x NPT 1/4"
QF-4046	Tube 1/4" x NPT 3/8"
QF-4064	Tube 3/8" x NPT 1/4"
QF-4066	Tube 3/8" x NPT 3/8"
QF-4068	Tube 3/8" x NPT 1/2"

Union Elbow

QF-5044	Tube 1/4" x 1/4"
QF-5064	Tube 3/8" x 1/4"
QF-5066	Tube 3/8" x 3/8"

Male Branch Tee

QF-6044	Tube 1/4" x NPT 1/4" x Tube 1/4"
QF-6064	Tube 3/8" x NPT 3/8" x Tube 1/4"
QF-6066	Tube 3/8" x NPT 3/8" x Tube 3/8"

Union Tee

QF-7044	Tube 1/4" x 1/4" x 1/4"
QF-7046	Tube 1/4" x 3/8" x 1/4"
QF-7064	Tube 3/8" x 1/4" x 3/8"
QF-7066	Tube 3/8" x 3/8" x 3/8"

Quick Connect Fittings

Quick Connect Fittings

Male Run Tee

Model	Description
QF-7544	Tube 1/4" x 1/4" x NPT 1/4"
QF-7564	Tube 3/8" x 1/4" x NPT 1/4"

Stem Adaptor

JF-1944	NPT 1/4" x Stem 1/4"
JF-1946	NPT 1/4" x Stem 3/8"
JF-1964	NPT 3/8" x Stem 1/4"
JF-1966	NPT 3/8" x Stem 3/8"

Stem Reducer

QS1946	Tube 1/4" x Stem 3/8"
QS1964	Tube 3/8" x Stem 1/4"

Stem Elbow

QS-4044	Tube 1/4" x Stem 1/4"
QS-4046	Tube 1/4" x Stem 3/8"
QS-4064	Tube 3/8" x Stem 1/4"
QS-4066	Tube 3/8" x Stem 3/8"

Stem Branch Tee

QS-6044	Tube 1/4" x Stem 1/4" x Tube 1/4"
QS-6066	Tube 3/8" x Stem 3/8" x Tube 3/8"

Stem Run Tee

QS-7544	Tube 1/4" x 1/4" x Stem 1/4"
QS-7564	Tube 3/8" x 1/4" x Stem 1/4"
QS-7566	Tube 3/8" x 3/8" x Stem 3/8"

Two Way Divider

QF-Y744	Tube 1/4" x 1/4" x 1/4"
QF-Y766	Tube 3/8" x 3/8" x 3/8"

Locking Clip

LOCK-2	Tube 1/4"
LOCK-3	Tube 3/8"

Plug

FP2	Fitting Plug 1/4"
FP3	Fitting Plug 3/8"
TP2	Tube Insert 1/4"
TP3	Tube Insert 3/8"

Frame & Bracket

Frame & Bracket



Standing Frame

Model	Description	Number of filter housings	Suitable type
G1007	Belt type	3	10" Filter housing
G1010	1.5" Gauge panel		
G1011	2.5" Gauge panel		
G1018	G Type		
G1020	1.5" Gauge panel		
G2002	G Type	3	20" Filter housing
G2006	Rear Short-panel		
B1001	Steel	2	10" Big Blue housing
B2001	Steel		
B1002	Steel	3	10" Big Blue housing
B2004	Steel		



Frame & Bracket



Wall Mounting Bracket

Model	Description	Number of filter housings	Suitable type
R1001	Standard panel	3	RO with pump
R1003	2.5" Gauge panel		
R1004	1.5" Gauge panel		
C1001	U type	3	RO without pump / water purifier
C1003	1.5" Gauge panel		
C1004	Extend U type		
C1007	N type		
C1005	U type	3	Pressure release button
C1006	N type		
C1009	Countertop type	3	Water purifier
C1010	U type	2	RO without pump / water purifier
C1011	N type		
C1012	U type	2	Pressure release button
C1013	N type		
C1014	Countertop type	2	Water purifier
C1017	N type	1	Water purifier
C1019	Steel	1	Pressure release button / 10" & 20"
C1020	Stainless steel		
C1022	Stainless steel	1	Pressure release button / 10"
C1023	Stainless steel		
FAUC1	Plastic		Faucet
B001	Steel	1	Big Blue housing
B002	Stainless steel		
B004	Steel	2	Big Blue housing
B005	Stainless steel		
B006	Steel	3	Big Blue housing
B007	Stainless steel		



Accessories

Accessories

Pressure Switch

Model	Description
LP22	Low pressure switch 1/4" NPTF
HP22	High pressure switch 1/4"
QF-LP22	Quick fitting low pressure switch 1/4"
QF-HP22	Quick fitting high pressure switch 1/4"



Check Valve

Model	Description
CV-21E	Elbow check valve Tube 1/4" x NPT 1/8"
QF-CV21E	Quick fitting elbow check valve Tube 1/4" x NPT 1/8"
QF-CV21S	Quick fitting straight check valve Tube 1/4" x NPT 1/8"
QF-CV22S	Quick fitting straight check valve Tube 1/4" x 1/4"



Flow Restrictor

Model	Description
FR300	Flow restrictor 300cc
FR400	Flow restrictor 400cc
FR800	Flow restrictor 800cc
FR1000	Flow restrictor 1000cc
FR2000	Flow restrictor 2000cc
FR3000	Flow restrictor 3000cc
QF-FR300	Quick fitting flow restrictor 300cc
QF-FR400	Quick fitting flow restrictor 400cc
QF-FR800	Quick fitting flow restrictor 800cc



Pressure Limiting Valve

Model	Description
QF-PR70-2	70 psi pressure limiting valve 1/4"
QF-PR70-3	70 psi pressure limiting valve 3/8"
QF-PR40-2	40 psi pressure limiting valve 1/4"
QF-PR40-3	40 psi pressure limiting valve 3/8"



Auto Shut off Valve

Model	Description
ASV2	Auto shut-off valve 1/4"
ASV3	Auto shut-off valve 3/8"
QF-ASV2	Quick fitting auto shut-off valve 1/4"
QF-ASV3	Quick fitting auto shut-off valve 3/8"




Plastic Valve

Model	Description
QF-BV22	Quick fitting ball valve Tube 1/4" x 1/4"
QF-BV32	Quick fitting ball valve Tube 3/8" x 1/4"
QF-BV33	Quick fitting ball valve Tube 3/8" x 3/8"
QF-BCV22	Quick fitting ball valve with check valve Tube 1/4" x 1/4"
PFV-442	Plastic feed water adapter with ball valve 1/2" x 1/2" x Tube 1/4"
PFV-443	Plastic feed water adapter with ball valve 1/2" x 1/2" x Tube 3/8"
TV22	Storage tank ball valve Tube 1/4" x NPTF 1/4"
TV32	Storage tank ball valve Tube 3/8" x NPTF 1/4"
QF-TV22	Quick fitting storage tank ball valve Tube 1/4" x NPTF 1/4"
QF-TV32	Quick fitting storage tank ball valve Tube 3/8" x NPTF 1/4"



RO Clips

Model	Description
CL2525	Double clip 2.5" x 2.5"
CL2520	Double clip 2.5" x 2"
CL2020	Double clip 2" x 2"
CL35	Single clip 3.5"
CL25	Single clip 2.5"
CL20	Single clip 2"
CLFR	Single clip for flow restrictor



Drain Clamp

Model	Description
DC2	Drain clamp 1/4"
DC3	Drain clamp 3/8"
QF-DC2	Quick fitting drain clamp 1/4"
QF-DC3	Quick fitting drain clamp 3/8"



Filter Housing Wrench

Model	Description
HWR-B	Big Blue filter housing wrench
HWR-S	Standard filter housing wrench
HWR-M	Membrane housing wrench
HWR-5	5 in 1 filter housing wrench



Accessories

Accessories

Solenoid Valve

Model	Description	Voltage
SO-225	1/4" NPTF / 2.5mm	AC220V / AC110V / AC24V / DC24V
QSO-225	1/4" Tube / 2.5mm	AC220V / AC110V / AC24V / DC24V
DSO-28	1/4" NPTF / 8mm	AC220V / AC110V / DC24V
DSO-38	3/8" NPTF / 8mm	AC220V / AC110V / DC24V
BSO-245	1/4" NPTF / 4.5mm	AC220V / AC110V / DC24V
BSO-345	3/8" NPTF / 4.5mm	AC220V / AC110V / DC24V
PSO-35	3/8" NPTF / 5mm	AC220V / AC110V / DC24V



Feed Water Adapter & Valve

Model	Description
AD-662	Feed water adapter 3/4" x 3/4" x 1/4"
AD-442	Feed water adapter 1/2" x 1/2" x 1/4"
AD-332	Feed water adapter 3/8" x 3/8" x 1/4"
FV-442	Feed water adapter with ball valve 1/2" x 1/2" x Tube 1/4"
FV-443	Feed water adapter with ball valve 1/2" x 1/2" x Tube 3/8"
BV-22	Ball valve, Tube 1/4" x NPT 1/4"
BV-32	Ball valve, Tube 3/8" x NPT 1/4"
NV-22	Needle valve 1/4" x 1/4"
NVCV-22	Needle valve with check valve Tube 1/4" x 1/4"
DV-2	Diverter valve - 1/4" Tube
DV-3	Diverter valve - 3/8" Tube
RDV-2	2 way diverter valve 1/4" Tube - Return water type
SV-2	Saddle valve with strong clamp - 1/4" Tube
SV-3	Saddle valve with strong clamp - 3/8" Tube
CV-2	Saddle valve with Aluminum C-clamp - 1/4" Tube
CV-3	Saddle valve with Aluminum C-clamp - 3/8" Tube



Control Box

Model	Description
TK001	Automatic flush controller with TDS meter



Digital Meter

Model	Description
TDSM	Digital TDS Meter Water Quality Tester



Pressure Gauge

Model	Description
SG4-1022	Bottom mount oil filled pressure gauge (10kg x 2.5" x NPT 1/4")
SG4-2022	Bottom mount oil filled pressure gauge (20kg x 2.5" x NPT 1/4")
SG4-1011	Bottom mount oil filled pressure gauge (10kg x 1.5" x NPT 1/8")
SG4-2011	Bottom mount oil filled pressure gauge (20kg x 1.5" x NPT 1/8")
SG2-1011	Panel mount oil filled pressure gauge (10kg x 1.5" x Tube 1/4") with U-clamp
SG2-2011	Panel mount oil filled pressure gauge (20kg x 1.5" x Tube 1/4") with U-clamp
IA3-1011	Center back mount air pressure gauge (10kg x 1.5" x NPT 1/8")
IA3-2011	Center back mount air pressure gauge (20kg x 1.5" x NPT 1/8")



LLDPE Tube

Model	Description	Model	Description
TU2W	1/4" White tube - 300m/roll	TU3W	3/8" White tube - 150m/roll
TU2B	1/4" Blue tube - 300m/roll	TU3B	3/8" Blue tube - 150m/roll
TU2K	1/4" Black tube - 300m/roll	TU3K	3/8" Black tube - 150m/roll
TU2R	1/4" Red tube - 300m/roll	TU3R	3/8" Red tube - 150m/roll
TU2O	1/4" Orange tube - 300m/roll	TU3O	3/8" Orange tube - 150m/roll
TU2Y	1/4" Yellow tube - 300m/roll	TU3Y	3/8" Yellow LLDPE Tube - 150m/roll



Electrolysis Precipitator

Model	Description
EP-21	Electrolysis Precipitator Water Quality Tester

